

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	435	request near2 (contain\$3 or enclos\$3) near2 (link or url or uri) and client and server and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 07:18
L7	61	717/173,178.ccls. and availab\$7 near3 (application or program or software) with (information or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 07:26
L8	32	717/173,178.ccls. and availab\$7 near3 (application or program) with (information or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 07:24
L9	29	I7 not L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 07:24
L10	7	717/173,178.ccls. and request with availab\$7 near3 (application or program or software) with (information or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 07:26
L12	4	717/173,178.ccls. and application near server near3 coupled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:43
L14	42	application near server near3 coupled with (generat\$3 or forwar\$3) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 11:09
S1	1	"20050022182"	US-PGPUB; USPAT	OR	OFF	2005/06/27 10:33
S3	32	717/173,178.ccls. and availab\$7 near3 (application or program) with (information or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:57
S5	2	availab\$7 near3 (application or program) with (information or list) with download with (link or url or uri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 13:55

S7	61	(availab\$7 near3 (application or program)) near4 (information or list) with download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:10
S8	59	(availab\$7 near3 (application or program)) near4 (information or list) with download and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:15
S10	53	S8 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:14
S11	4	(availab\$7 near3 (application or program)) near4 (information or list) with download same (link url uri) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:02
S12	7	(availab\$7 near3 (application or program)) with (information or list) with download\$3 same (link url uri) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:07
S13	3	S12 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:03
S15	23	(availab\$7 near3 (application or program)) with download\$3 with (link url uri) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:37
S22	68	(availab\$7 near3 (application or program)) near5 download\$3 with (link url uri web\$5) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:40
S23	51	S22 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:38

S24	5	(availab\$7 near3 (application or program)) near5 download\$3 with (information or list) with (link url uri web\$5) and ((@ad<"20030723") or (@prad<"20030723") or (@rlad<"20030723"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 15:40
-----	---	--	---	----	----	------------------